




DESIGN HIGHLIGHTS

- Solid steel construction holds display securely
- Bi-directional swivel up to over 90 degrees in either direction
- Custom cut arms to any length up to 500mm [19.7"] per arm
- Brushed aluminium caps for superb aesthetic finish

OPTIONS

- Any RAL colour available
- Bang & Olufsen / Loewe mount option



FUNCTION

An manual wall bracket that can move an LCD or Plasma screen to almost any desired viewing poition.

SUITABILITY

All flat screen with rear mounting holes will be suitable for the DA bracket.

Check the screen size to make sure the screen covers the bracket in the IN / CLOSED position

SPECIFYING

Check wall makeup to decide on fixings to be used.

Check screen details for mounting possibilities.

Check angles for viewing.

WARNING

It is the responsibility of the installer to warn all potential end users of the dangers of interfering with mechanisms during operation


IMPORTANT

Mechanisms which lift or move weights need to be checked on a yearly basis for any damage which may result in an accident


Movement Examples

The DA Bracket can move into many different positions to create the most suitable viewing angle. The screen can parallel track out to the maximum extension and then rotate over 90° in either direction. Other custom positions can be formed and with a smooth positive movement the bracket will hold the screen securely in place.


IN Position




Possible Viewing Position



Max OUT Position




Possible Viewing Position



Wall Mounting


The DA wall bracket acn be used as a solution for many installations. Below are some examples.

Wall Example 1




To store the screen in a deep recess and still be able to move the screen out and around to a required viewing angle.

Wall Example 2



To store the screen facing one direction and still be able to move the screen up to 180° around a corner to another viewing area.


Wall Example 3



To fix the screen to one wall of a room corner installation.

Bracket Dimensions

Make sure that the bracket doesn't over hang the screen in the closed position. Check the width of the screen against the bracket arm lengths.



Wall Mounting Dimensions

The DA Bracket comes in 4 standard sizes-
32", 42", 50" and 60".

